

part of Green Universe Agro Group

Rhizobium inoculants for LUPIN LEGUMEFiX — sterile peat powder formulation LIQUIFiX — liquid formulation



product conforms to EC regulation 834/2007

- Carefully selected elite rhizobial strains for improved results;
- All inoculants are made fresh each season;
- Sterile manufacturing ensures zero contamination risk.
- Increases protein content by 1-4%;
- The formation of nodules begins already on day 10-12 after germination of the plant;

WHY INOCULATE:

- Targeted nitrogen application
 no nitrogen wasted in rainfall 'run off'.
 - no nitrogen supplied to weeds.
- In land that has never had the crop before increases of up to 100% yield compared to no inoculation.
- Especially beneficial in harsh climates with extreme hot summers, drought conditions or extreme cold winters where the microbial population declines faster.
- Extensive field trials show inoculation gives increased protein content and is more cost effective than adding nitrogen fertilizers.



Lupin relative yield response to different inoculation treatments, Central Alberta, 2019



Red nodules indicate active nitrogen fixing processes within a plant.



		LEGUMEFiX for Lupin			LIQUIFiX for Lupin		
\square	FORMULATION	Peat			Liquid		
	ACTIVE SUBSTANCE	Bradyrhizobium Lupinus 5 x 10°g cfu/g at manufacture					
. .	APPLICATION	4 kg / 1t of seeds			3 / 1t of seed		
			Amount of seed treated	Units per box		Units per box	
ß	PACKAGE SIZES	750 g	180 kg	18	3L	6	
		1.25 kg 2.50 kg	500 kg 625 kg	6			
X	SHELF LIFE	24 months from manufacture if stored in cool conditions +5°C to +15°C			12 months from manufacture if stored in cool conditions +5°C to +15°C		

Compatibility with seed treatment chemicals:

Compatible with most popular seed treatment chemicals, however contact your distributor for further information. For optimum results, if possible, apply the chemicals first, let the seed dry and then apply the inoculant.

WARNINGS:

- LEGUMEFiX treated seed must be planted within 48 hours.
- LIQUIFiX treated seed must be planted within 7 days.
- Protect treated seed from direct sunlight and plant into moist soil.
- Always read and follow the directions on the label.

Providing nitrogen at, or before planting the crop, can fool the seedling roots into sensing sufficient nitrogen availability in the rhizosphere. This can trigger the roots to turn off the chemical signals that allow the bacteria to form nodules in the plant roots. This will delay or even prevent nodulation and can severely reduce the beneficial effect of the inoculant.

Recommended Product Application Scheme

